

## LIST OF TABLES

2.1	Number of Individuals Represented by Each Type of Adult Bone, McFayden Mound	35
2.2	Number of Individuals Represented by Each Type of Subadult Bone, McFayden Mound	36
2.3	Order of Representation of Adults as Indicated by Bone Types, McFayden Mound	37
2.4	Order of Representation of Subadults as Indicated by Bone Types, McFayden Mound	38
2.5	Life Table Reconstructed for the McFayden Mound Population	41
2.6	Population Reconstruction, McFayden Mound	41
2.7	Comparison of Mean Cranial Indices from the McFayden Mound and Selected Skeletal Populations	43
3.1	Summary Description of the Leatherwood Creek Burials	52
3.2	Cranial Indices for Adult Burials, Leatherwood Creek	54
3.3	Long Bone Lengths and Stature Estimates, Leatherwood Creek	56
3.4	Dental Caries, Leatherwood Creek	57
5.1	Donnaha Sub-sample: C13/C12 Ratio Results	85
7.1	Abridged Life Table Values, Ledford Island	106
7.2	Abridged Life Table Values, Toqua	108
7.3	Abridged Life Table Values, Averbuch	108
7.4	Comparison of Stature Estimates Across Several Archaeological Populations	113
7.5	Analysis of Variance for Femur Lengths, for Toqua, Averbuch, and Mouse Creek Phase Sites	114
7.6	Duncan's Multiple Range Test of Femur Lengths Between Toqua, Averbuch, and Mouse Creek Phase Sites	114
7.7	Comparison of Frequencies of Calvarial Porotic Hyperostosis and Cribra Orbitalia Across Toqua, Averbuch, and Mouse Creek Phase Sites Subadults	115